





## MINISTRY OF AGRICULTURE, ANIMAL INDUSTRY, AND FISHERIES P. O. Box 102 Entebbe – UGANDA

## UGANDA CLIMATE SMART AGRICULTURAL TRANSFORMATION PROJECT (UCSATP)

## ITEM SPECIFICATION FOR THE PRODUCTION INPUTS AND AGRICULTURAL EQUIPMENT FOR REGUGEE BENEFICIARIES UNDER THE UCSATP.

SN.	LOT	ITEM	ITEM DESCRIPTION	
1	Lot 28	Seed and cuttings (Sorghum Cassava, maize, groundnuts, cowpea, pigeon peas, tomatoes, cabbages, egg plants, okra, Sukuma)		
		Maize	Hybrid drought tolerant maize varieties suited for mid altitude areas Certified seed of minimum germination 90%	
		Sorghum	Drought tolerant sorghum varieties suited for mid altitude areas	
			Certified seed of minimum germination 80%	
		Beans	Drought tolerant beans varieties Certified seed of minimum germination 85%	
		Cassava	<ul> <li>Mature cuttings of 9-12 months</li> <li>Varieties: NAROCASS 1, NASE 19, NASE 14 and NASE 3</li> <li>Free of pests and disease</li> <li>Packed in polypropylene bags</li> <li>Length of cuttings,15cm</li> <li>About 600 cuttings per bag</li> </ul>	
		Ground nuts	Drought tolerant ground nut varieties. Certified seed of minimum germination 80%	
		Cowpeas	Drought tolerant ground nut varieties. Certified seed of minimum germination 80%	
		Pigeon peas	Drought tolerant ground nut varieties. Certified seed of minimum germination 80%	

		Vegetable seed (Tomatoes, Onions, Carrots, Cabbages, Spinach, Egg plants, Pumpkin, Okra, Sukuma, Amaranths)	Certified seed of minimum germination 75%
2	Lot 29	Fertilizer	<ul> <li>Granular fertilizers</li> <li>NPK blend (15:3:26 + (28S + 3Mg + 0.3B),</li> <li>NPK (20: 5;5),</li> <li>NPK blend (20:20:18),</li> <li>NPK blend (23:17:12 + (+3S+2Mg),</li> <li>NPK blend (11:29:23),</li> <li>NPK (17:17;17),</li> <li>DAP,</li> <li>CAN,</li> <li>Registered Foliar fertilizers</li> <li>Registered organic fertilizers</li> </ul>
3	Lot 30	Agro chemicals (Pesticides, pheromone traps)	Fungicides, Herbicides &
		Herbicides	<ul> <li>Glyphosate and Glyphosate IPA salts</li> <li>2,4-D amine, mesotrione + Nicosulfuron,</li> <li>Mesotrione+terbuthylazine + Nicosulfuron,</li> <li>Nicosulfuron,</li> <li>Pendimethalin,</li> <li>Glufosinate ammonium,</li> <li>Bentazone 15.5%,</li> <li>Bentazone sodium salt 436g/l + MCPA potassium salt 71.4g/l</li> </ul>
		Fungicides	<ul> <li>Tebuconazole 25%,</li> <li>Tebuconazole 500g/kg +     Trifloxystrobin 250g/kg,</li> <li>Tebuconazole 200g/l +     Trifloxystrobin 100g/l</li> <li>Metalaxyl 8% + Mancozeb 64%,</li> <li>Copper oxychloride 50-85%,</li> <li>Carbendazim</li> </ul>
		Insecticides	<ul> <li>Thiamethoxam 14.1% + Lambdacyhalothrin 10.6%,</li> <li>Profenofos 40% + Cypermethrin 4%, imidacloprid 20%,</li> <li>Emamectin benzoate 5%,</li> <li>Imidacloprid + bifenthrin</li> <li>Pirimiphos methyl 16g/kg + Permethrin 3g/kg</li> <li>Aluminium phosphide 56%-</li> </ul>

4	Lot 31	Pheromone traps  Tractor hire services	57%,  • Malathion-2%D,  • Flubendiamide 480g/l,  • Indoxacarb 85g/l + Emamectin benzoate 15g/l  Fruit fly traps made using methyl eugenol or MAT blocks  • 1 axle tractors (8-12HP)  • 2 axle tractors (45 -95HP)
5	Lot 32	Piggery (piglets, feeds, v	
	10002	Pigs	GILTS / FEMALE PIGS
		Tigs .	<ul> <li>Breed: large white, landrace, comborough, duroc or their crosses</li> <li>Sex: Female</li> <li>Identification: all must be ear tagged</li> <li>Purity: Not less than 75% of above breeds</li> <li>Age: at least 3-4 months old</li> <li>Live weight: at least 30-40kg</li> <li>Normal body condition score of above 3</li> <li>Healthy coat (skin)</li> <li>Strong legs</li> <li>Good sight</li> <li>Symmetrical well-developed teats (12 -16 teats evenly paired -6-8pairs)</li> <li>Free from disease or parasite infestations</li> </ul>
			BOAR / MALE PIGS
			<ul> <li>Breed: large white, landrace, combo rough, duroc or their crosses</li> <li>Sex: male</li> <li>Identification: all must be ear tagged</li> <li>Purity: Not less than 75% of above breeds</li> <li>Age: at least 5-7 months old</li> <li>Live weight: at least 30-40kg</li> <li>Normal body condition score of above 3</li> <li>Healthy coat (skin)</li> <li>Strong legs</li> <li>Good sight</li> </ul>

	Pig Vaccines and Drugs	<ul> <li>Testicles: Symmetrical and well pair</li> <li>Free from disease or parasite infestations</li> <li>Multivitamins 1000g sackets powder water soluble</li> <li>Dewormer: Lavamisole 30% 100g sackets, and or ivermectin and albendazole.</li> <li>Anticoccidal: Amprolium, Toltrazuril and Sulfadimidine in100g sacket</li> <li>Disinfectants: 1 litre package containing hydrogen peroxide or peroxyacetic acid or potassium peroxymonosulphate or dodecyl dimethyl ammonium chloride</li> <li>Note: therapeutic drugs will be provided upon diagnosis of specific diseases by qualified veterinarians</li> </ul>
	Piggery feeds	<ul> <li>Category: Growers feed</li> <li>Protein content: 14-16% crude protein</li> <li>Metabolisable energy content: 3500kilo cal/kg</li> <li>Moisture content: not more than 10%</li> <li>Amino acid levels; lysine 0.9-2.15, Methionine1.4%</li> <li>Crude fibre 4%</li> <li>Not moldy</li> <li>Packaged in 50kg or 25kg bags</li> <li>Free from pests</li> <li>Powderly or rumbles or pellets BUT not caked</li> <li>Dry, not watery</li> <li>Clearly labelled bags with the content, expiry date, date of manufacture, product, weight and feed composition.</li> <li>Feeds must be certified accompanied by a quality assurance certificate signed by an authorized officer</li> </ul>
6 Lot 33	drinkers & feeders)	poultry house, laying nests, piggery
	Pig sty	• 12 meters by 4 meters iron sheet roofed

	I	I	
		Poultry House  Laying nests	<ul> <li>The sty should be portioned into feeding and sleeping areas and drinking and exercising area</li> <li>With 4 partitions for boar, sow and piglets and male and female grower pigs</li> <li>The sty should have inbuilt easily drainable drinkers and easy to clean feeders per partition.</li> <li>The floor should be concrete</li> <li>With a chain link perimeter fence and foot bath at entry</li> <li>25 ft by 30 ft in measurement</li> <li>Iron sheet roofed</li> <li>Gable roofed iron sheet over hanging by 1.5 m to prevent raining into the house</li> <li>Wall: 1-meter solid wall (bricks or sheet) and</li> <li>1.5-meter wire strong wire mesh</li> <li>Concrete floor and Liter provided</li> <li>Constructed in the poultry house</li> <li>With 4 potable wooden pest each</li> </ul>
			With 4 potable wooden nest each with 10 nest boxes /slots and @ slots for 5 birds. Each slot is 30cm wide, 32 cm high, 30cm deep, 20cm high entrance, 12cm (min) scratch plate height. The roof should not allow roosting
7	Lot 34	Poultry (Chicks, feeds, drinl	kers, feeders, vaccines and drugs)
		Poultry drinkers	<ul> <li>Size: at least 10 litre capacity</li> <li>Material: plastic</li> <li>Design: Manual drinkers</li> <li>Easy to clean and stable not easy to tip</li> </ul>
		Poultry feeders	<ul> <li>Size: at least 10kg capacity</li> <li>Material: plastic</li> <li>With top handle, lid and antiwaste features</li> </ul>
		Poultry feeds	<ul> <li>Category: boiler finisher</li> <li>Protein content: 18-20% crude protein</li> <li>Metabolisable energy content: 3500kilo cal/kg</li> <li>Moisture content: not more than</li> </ul>

	<ul> <li>10%</li> <li>4%</li> <li>Not moldy</li> <li>Packaged in 50kg or 25kg bags</li> <li>Free from pests</li> <li>Powderly or rumbles or pellets BUT not caked</li> <li>Dry not watery</li> <li>Clearly labelled bags with the content, expiry date, date of manufacture, product, weight and feed composition.</li> <li>Feeds must be certified accompanied by a quality assurance certificate signed by an authorized officer</li> </ul>
Poultry vaccines and drugs	<ul> <li>Newcastle lasota vaccine stored and delivered in cold chain temperature between 2 to 8degrees Celsius</li> <li>Multivitamins 100g sacket powder water soluble</li> <li>Dewormer: Levamisole 30% 100g sacket</li> <li>Anticoccidial: Amproliulm 100g sacket</li> <li>Disinfectants: 1 litre package containing hydrogen peroxide or peroxyacetic acid or potassium peroxymonosulphate or dodecyl dimethyl ammonium chloride</li> <li>Note: therapeutic drugs will beprovided upon diagnosis of specific diseases by qualified veterinarians</li> </ul>
Poultry (pullets and cockerels)	<ul> <li>Sex: Males and females</li> <li>Age: 1 month old</li> <li>Breed: Hybrid (Sasso or Kuroiler or rainbow rooster)</li> <li>Sourced from reputable poultry breeder and hatched from parent stock eggs</li> <li>Should be vaccinated from mareks, infectious bursal disease, Newcastle and infectious bronchitis as scheduled</li> <li>Should be healthy and free from ectoparasites and without abnormalities</li> </ul>

8	Lot 40	Beehives	KTB (Kenya Top Bar Hive)
			Body made out of durable timber of 2" (thickness) from pine or Grevellia or Cyprus or 'Musizi', measuring 31"- 35" length and 9" - 12" height. Identification mark – Abbreviation of project name (UCSATP)
9	Lot 41	Apiary management equipment	
		Bee smokers	Made from galvanised steel sheet of gauge 28; Fire box diameter 4"; height 11"; smoker bellows 5" by 8"
		Hive knife	Blade Material: Stainless Steel; Handle Material: Wood; Blade Length: 8"; Sharpness: Single Edge
		Hive tool	Blade Material: Stainless Steel; length 9.5"; width 1"
		Bee brush	Gentle but firm bristles to brush bees off the comb cells; measures 16" long with a wooden handle
		Airtight bucket	White food-grade air-tight bucket with a capacity to hold 25kg of honey
		Overall and veil	Khaki; Drill material; size: M, L, XL and XXL; Identification marks: i. at the back-Name of the project; ii. At the front- Logs for Government of Uganda (MAAIF & World Bank)
		Bee gloves	Elbow Length cloth ending with elastic; Elbow Length cloth ending with elastic; size: M, L, XL, and XXL; Identification mark – Abbreviation of project name (UCSATP)
		Gumboots	Identification mark – Abbreviation of project name (UCSATP)
10	Lot 42	Black Soldier Fly (BSF) farm tools and equipment	
		Love cage	Aluminium cage of 120 by 80 by 140 cm with a plastic removable bottom plate and polyester netting material (40 kg m <sup>-3</sup> ) on the sides
		Cotton wool	100% cotton; 500g; and non-sterile

		Rectangular basins	Shape: rectangular; Material High- Density Polyethylene (HDPE); 20litre capacity
		Pest traps	Dome-shaped plastic trap that can hold 200 mls of a mixture of water, soap, and oil
		Hygier	ne equipment
		Liquid soap	With Cleansing detergent
		Scrubbing brushes	Stiff and firm bristles of 6 " long with a wooden handle of 100 -120 cm
		Rubber squeezers	Rubber edge that contacts the floor; wooden handle of 100-120 cm
		Brooms	Natural gentle but firm bristles
		Egg stag	ge requirement
		Eggies	Made of wood and cardboards (25cm x 5cm x 0.3cm)
			Each eggies consists of five clean, thin wooden sheets, separated with thinner cardboards
11	Lot 43	Construction of BSF farm structures	Should have compartments for larval and pupal stages, and the adult stage.
		Solar driers	Type: active-type hybrid solar-biomass dryer; Loading capacity: 300kg per drying batch; Drying temperature range: 30°C-60°C; Operation: automatic control of drying conditions
12	Lot 44	Tri-cycles	Remodelled motor/tricycle to carry 500-700kgs
13	Lot 45	Polythene material	1000-gauge
		Hand-held sprayer	CP- brand; 15 litre capacity
		Tarpaulin	Strong fabric that resists varying temperatures; 20 X 13 ft
		Digital weighing scales	Digital scale - Wash down digital scale, Large & clear LCD.
			Weighing pan – Large and square detachable stainless steel, minimum 232mm (W) x 192 mm(D), Portable,

	with Stability Indicator, Battery Operation and AC Adapter.
	Capacity- (5000 g x 1g)